

# ForPatients

by Roche

Non-Small Cell Lung Cancer (NSCLC)

## A Study Comparing Alectinib With Crizotinib in Treatment-Naive Anaplastic Lymphoma Kinase-Positive Advanced Non-Small Cell Lung Cancer Participants

**Trial Status**

Active, not recruiting

**Trial Runs In**

30 Countries

**Trial Identifier**

NCT02075840 2013-004133-33  
BO28984

---

The source of the below information is the publicly available website [ClinicalTrials.gov](https://clinicaltrials.gov). It has been summarised and edited into simpler language.

### *Trial Summary:*

This randomized, active controlled, multicenter phase III open-label study is designed to evaluate the efficacy and safety of alectinib compared with crizotinib treatment in participants with treatment-naive anaplastic lymphoma kinase-positive (ALK-positive) advanced non-small cell lung cancer (NSCLC). Participants will be randomized in a 1:1 ratio to receive either alectinib, 600 milligrams (mg) orally twice daily (BID), or crizotinib, 250 mg orally BID. Participants will receive treatment until disease progression, unacceptable toxicity, withdrawal of consent, or death. The study is expected to last approximately 144 months.

**Hoffmann-La Roche**

Sponsor

**Phase 3**

Phase

---

**NCT02075840 2013-004133-33 BO28984**

Trial Identifiers

---

### *Eligibility Criteria:*

**Gender**

All

**Age**

**>=18 Years**

**Healthy Volunteers**

No

---